

# Safety data sheet

Page: 1/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Product: **Wolmanit ProColor brown 2005**

Version: 2.0

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## **Wolmanit ProColor brown 2005**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Colour concentrate for the professional use in wood protection

Recommended use: Colour concentrate for the professional use in wood protection

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF plc

PO Box 4, Earl Road, Cheadle Hulme,

Cheadle, Cheshire

SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

### 1.4. Emergency telephone number

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

Irritating to eyes and skin.

May cause sensitization by skin contact.

## 2.2. Label elements

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

Hazard symbol(s)

Xi Irritant.



R-phrases(s)

R36/38

Irritating to eyes and skin.

R43

May cause sensitization by skin contact.

S-phrases(s)

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39

Wear suitable gloves and eye/face protection.

S61

Avoid release to the environment. Refer to special instructions/safety data sheets.

The product is classified and labelled in accordance with EC Directives.

| Hazard determining component(s) for labelling: azoic dye

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

| If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

liquid concentration for the colouration of wood - miscible with water

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

## | azoic dye

Content (W/W): >= 30 % - <= 50 %	Skin Sens. 1 H317
----------------------------------	----------------------

## | Acetic acid

Content (W/W): <= 0.2 %	Flam. Liq. 3
CAS Number: 64-19-7	Skin Corr./Irrit. 1B
EC-Number: 200-580-7	H314, H226
INDEX-Number: 607-002-00-6	

Hazardous ingredients

according to Directive 1999/45/EC

## | azoic dye

Content (W/W): &gt;= 30 % - &lt;= 50 %

| Hazard symbol(s): Xi

| R-phrases: 43

## | Acetic acid

Content (W/W): &lt;= 0.2 %

| CAS Number: 64-19-7

| EC-Number: 200-580-7

| INDEX-Number: 607-002-00-6

| Hazard symbol(s): C

| R-phrases: 10, 34

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

**SECTION 4: First-Aid Measures****4.1. Description of first aid measures**

| First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

| If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

| After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Eye irritation, skin irritation

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### **SECTION 5: Fire-Fighting Measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

#### **5.2. Special hazards arising from the substance or mixture**

Carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

#### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

### **SECTION 6: Accidental Release Measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good industrial hygiene and safety practice.

#### **6.2. Environmental precautions**

Contain contaminated water/firefighting water. Do not allow to enter soil, waterways or waste water channels.

#### **6.3. Methods and material for containment and cleaning up**

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.  
For large amounts: Pump off product.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Avoid contact with the skin, eyes and clothing. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

No special precautions necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

Frost sensitive

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

64-19-7: acetic acid...%

TWA value 25 mg/m<sup>3</sup> ; 10 ppm (OEL (EU))  
indicative

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other  
 Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	dark brown
Odour:	product specific
pH value:	approx. 3 - 5 (20 °C)
Melting temperature:	not applicable
boiling temperature:	approx. 100 - 105 °C
Flash point:	> 100 °C
Evaporation rate:	not determined
Flammability:	not flammable
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles
Lower explosion limit:	dropped
Ignition temperature:	not applicable
Vapour pressure:	not applicable
Density:	approx. 1.1 g/cm <sup>3</sup> (20 °C)
Relative vapour density (air):	not determined
Solubility in water:	miscible
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

Viscosity, dynamic:

not determined

Explosion hazard:

not explosive

## 9.2. Other information

Miscibility with water:

miscible

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

| No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

| The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

| The product is stable if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

| See MSDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

| strong oxidizing agents, strong reducing agents

### 10.6. Hazardous decomposition products

| No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg

#### Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

Serious eye damage/irritation rabbit: Irritant.

#### Respiratory/Skin sensitization

Assessment of sensitization:

May cause sensitization by skin contact.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Carcinogenicity

Assessment of carcinogenicity:

Not expected to be carcinogenic (based on composition).

#### Reproductive toxicity

Assessment of reproduction toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Developmental toxicity

Assessment of teratogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Toxicity to fish:

LC50 (96 h) > 100 mg/l

Microorganisms/Effect on activated sludge:



EC50 > 100 mg/l

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):  
Not readily biodegradable (by OECD criteria).

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:  
Accumulation in organisms is not to be expected.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:  
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

## 12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## 12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

## 12.7. Additional information

Other ecotoxicological advice:

The product should not be allowed to reach either sewage waters or water purification plants. The product has not been tested. The statement has been derived from the properties of the individual components.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

This material and its container must be disposed of in a safe way.  
Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).  
This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## SECTION 14: Transport Information

### Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Air transport**

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

**14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

**14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

**14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

**14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

**14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.03.2014

Version: 2.0

Product: **Wolmanit ProColor brown 2005**

(ID no. 55980762/SDS\_GEN\_GB/EN)

Date of print 25.04.2015

Ship Type:

Not evaluated

---

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

---

## SECTION 16: Other Information

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xi	Irritant.
C	Corrosive.
43	May cause sensitization by skin contact.
10	Flammable.
34	Causes burns.
Skin Sens.	Skin sensitization
Flam. Liq.	Flammable liquid
Skin Corr./Irrit.	Skin corrosion/irritation
H317	May cause an allergic skin reaction.
H314	Causes severe skin burns and eye damage.
H226	Flammable liquid and vapour.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: [product-safety-north@basf.com](mailto:product-safety-north@basf.com)

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.